


A summary of definitions, postulates, algebra rules, and theorems that are often used in geometry proofs:


Definitions:

Definition of mid-point and segment bisector




If a line \overline{BD} intersects another line segment \overline{AC} at a point M that makes $\overline{AM} \cong \overline{MC}$, then M is the **mid-point** of segment \overline{AC} , and \overline{BD} is a **segment bisector** of \overline{AC} .

Definition of Adjacent Angles are two angles that share a common side with each other and have the same vertex.



In the above, $\angle ACB$ and $\angle BCD$ are **adjacent angles**, they share a common side \overline{CB} and have the same vertex, C .

Definition of Vertical Angles are two non-adjacent angles formed by two intersecting lines. Vertical angles also share the same vertex.




In the picture above, segment \overline{AC} intersects \overline{BD} at point E , so $\angle AED$ and $\angle BEC$ are **vertical angles**.

$\angle BEA$ and $\angle CED$ are also **vertical angles**.

Definition of Right Angles and Perpendicular Lines:

If two lines intersect and make the two adjacent angles equal to each other, then each of the equal angle is a **right angle**. The two lines that intersect this way is said to be **perpendicular** to each other.




In the picture above, \overline{CA} intersects \overline{BD} at point E in such a way that makes $\angle CEB \cong \angle AEB$. Therefore both $\angle AEB$ and $\angle CEB$ are both **right angles**.

Since they intersect to form right angles, segments \overline{CA} and \overline{BD} are **perpendicular** to each other. We write $\overline{CA} \perp \overline{BD}$

An **acute angle** is one which is less than a right angle.

an **obtuse angle** is one that is greater than a right angle.



In the above, $\angle ACD$ is acute, $\angle ACB$ is right, and $\angle ACE$ is obtuse.


In degree measure, a right angle has a measurement of 90° .

A straight line (straight angle) has a measurement of 180°

Definition: Two angles are **complementary** if, when placed adjacent to each other with one side in common, their non-common sides form a right angle. Numerically, we say that two angles are complementary if the sum of their degree measurement equals 90°

In the above picture, $\angle ACD$ and $\angle DCB$ are complementary because they form a right angle.


Definition: Two angles are **supplementary** if, when placed adjacent to each other with one side in common, their non-common sides form a straight line. Numerically, we say that two angles are supplementary if the sum of their degree measure equals 180°



In the above, $\angle ACD$ and $\angle BCD$ are supplementary. Their non-common sides form the straight line \overline{BA} .

Definition of Angle Bisector:

If a line cuts an angle into two equal smaller angles, the line is said to **bisect** the angle and is an **angle bisector** of the angle.



In the picture above, $\angle ACB \cong \angle BCD$, so \overline{CB} is the **angle bisector** of $\angle ACD$

A triangle where all three sides are unequal is a **scalene triangle**

A triangle where at least two of its sides is equal is an **isocetes triangle**

A triangle where all three sides are the same is an **equilateral triangle**.

A triangle where one of its angle is right is a **right triangle**.

In a right-triangle, the side that is opposite the right-angle is called the **hypotenuse** of the right-triangle. The other two sides are the **legs** of the right-triangle.


A triangle where one of its angle is obtuse is an **obtuse triangle**:

A triangle that does not have any obtuse angle (all three angles are acute) is called an **acute triangle**.

Altitude of a Triangle

In a triangle, if through any vertex of the triangle we draw a line that is perpen-


pendicular to the side opposite the vertex, this line is an **altitude** of the triangle. The line opposite the vertex where the altitude is perpendicular to is the **base**.



In $\triangle ABC$ above, \overline{BD} is an altitude. It contains vertex B and is perpendicular to \overline{AC} , which is the base.

Median of a Triangle:


In any triangle, if through one of its vertex we draw a line that **bisects** the opposite side, this line is called a **median** of the triangle.



In $\triangle ABC$ above, \overline{BD} bisects \overline{AC} in D ($\overline{AD} \cong \overline{DC}$), so by definition, \overline{BD} is a median of $\triangle ABC$

Angle Bisector

An **angle bisector** of a triangle is a line that bisects an angle of the triangle and intersects the opposite side.



In $\triangle ABC$ above, \overline{BD} is an angle bisector of $\angle ABC$

Properties, Postulates, Theorems:


Segment Addition Postulate:



In a line segment, if points A, B, C are colinear and point B is between point A and point C , then: $\overline{AB} + \overline{BC} = \overline{AC}$

Angle Addition Postulate:

The sum of the measure of two adjacent angles is equal to the measure of the angle formed by the non-common sides of the two adjacent angles.



In the above, $m\angle ACB + m\angle BCD = m\angle ACD$.

Properties of Equality:

For any object x , $x = x$ (**reflexive property**).

If $a = b$, then $b = a$ (**symmetric property**)

If $a = b$, and $b = c$, then $a = c$ (**transitive property**)

If $a = b$, then anywhere a is used in a statement, b can be used instead and the meaning of the statement is unchanged. (**substitution property**)

If $a = b$ and $c = d$, then $a + c = b + d$ (**addition postulate**)

If $a = b$ and $c = d$, then $a - c = b - d$ (**subtraction postulate**)

Complementary Angle Theorem: If two angles are complementary to the same angle, then they are congruent to each other

Supplementary Angle Theorem: If two angles are supplementary to the same angle, then they are congruent to each other

Vertical Angles Theorem: Vertical Angles are Congruent.

Ways to prove triangles are congruent:


Side-Side-Side (SSS)

If all three sides of a triangle is congruent to all three sides of another triangle, the two triangles are congruent.




Side-Angle-Side (SAS):

If two sides of a triangle is congruent to two sides of another triangle, and the angle formed by the two sides is also congruent, then the two triangles are congruent.



Angle-Side-Angle (ASA):

If two angles of a triangle is congruent to two angles of another triangle, and the side between the two angles is also congruent, then the two triangles are congruent.



Isoceses Triangle Theorem: In an isoceses triangle, the **base angles** (the angles on the opposite sides of the congruent sides) are congruent.

Equilateral Triangle Theorem: In an equilateral triangle, all three angles are congruent.

